

MATHEMATICS
WORKSHEET_090623
CHAPTER 12 - LIMITS AND DERIVATIVES

SUBJECT: MATHEMATICS

MAX. MARKS : 40

CLASS : XI

DURATION : 1½ hrs

General Instructions:

- (i). All questions are compulsory.
- (ii). This question paper contains 20 questions divided into five Sections A, B, C, D and E.
- (iii). **Section A** comprises of 10 MCQs of 1 mark each. **Section B** comprises of 4 questions of 2 marks each. **Section C** comprises of 3 questions of 3 marks each. **Section D** comprises of 1 question of 5 marks each and **Section E** comprises of 2 Case Study Based Questions of 4 marks each.
- (iv). There is no overall choice.
- (v). Use of Calculators is not permitted

SECTION – A

Questions 1 to 10 carry 1 mark each.

1. If $\lim_{x \rightarrow 2} \frac{x^n - 2^n}{x - 2} = 80$ then n is:
(a) 1 (b) 3 (c) 5 (d) 7
2. If $f(x) = \begin{cases} x^2 + 1, & x \geq 1 \\ 3x - 1, & x < 1 \end{cases}$ then the value of $\lim_{x \rightarrow 1} f(x)$ is:
(a) 2 (b) -2 (c) 1 (d) -1
3. The value of $\lim_{x \rightarrow 0} \left(\frac{\tan^2 3x}{x^2} \right)$ is:
(a) 0 (b) 3 (c) ∞ (d) 9
4. If $f(x) = \begin{cases} x^2 - 1, & 0 < x < 2 \\ 2x + 3, & 2 \leq x \leq 3 \end{cases}$ then the quadratic equations, whose roots are $\lim_{x \rightarrow 2^-} f(x)$ and $\lim_{x \rightarrow 2^+} f(x)$ is:
(a) $x^2 - 6x + 9 = 0$ (b) $x^2 - 7x + 8 = 0$
(c) $x^2 - 14x + 49 = 0$ (d) $x^2 - 10x + 21 = 0$
5. $\lim_{x \rightarrow 0} \frac{\tan 2x - x}{3x - \sin x}$ is:
(a) 2 (b) 1/2 (c) -1/2 (d) 1/4
6. Derivation of $\sin^3 x$ is:
(a) $\cos^3 x$ (b) $3 \sin^3 x$ (c) $3 \sin^2 x \cos x$ (d) 0
7. If $f(x) = x^2 - 5x + 7$, then $f'(3) = \dots\dots\dots$:
(a) 11 (b) 1 (c) 4 (d) 0
8. If $\sin(x + y) = \log(x + y)$ then $\frac{dy}{dx}$ equals
(a) 0 (b) 1 (c) -1 (d) none of these

For Q9 and Q10, a statement of assertion (A) is followed by a statement of reason (R). Choose the correct answer out of the following choices.

- (a) Both (A) and (R) are true and (R) is the correct explanation of (A).
- (b) Both (A) and (R) are true but (R) is not the correct explanation of (A).
- (c) (A) is true but (R) is false.
- (d) (A) is false but (R) is true.

9. **Assertion (A):** The derivation of $f(x) = x^3$ is x^2 .

Reason (R): The derivation of $f(x) = x^n$ is nx^{n-1} .

10. **Assertion (A):** $\lim_{x \rightarrow 0} \frac{\sin ax}{bx}$ is equal to $\frac{a}{b}$.

Reason (R): $\lim_{x \rightarrow 0} \frac{\sin x}{x} = 1$

SECTION – B

Questions 11 to 14 carry 2 marks each.

11. Evaluate: $\lim_{z \rightarrow 1} \left(\frac{z^{1/3} - 1}{z^{1/6} - 1} \right)$

12. Evaluate: $\lim_{x \rightarrow 0} \left(\frac{\sin ax + bx}{ax + \sin bx} \right), a, b, a + b \neq 0$

13. For some constants a and b find the derivative of $(x - a)(x - b)$.

14. Find the derivative of $(5x^3 + 3x - 1)(x - 1)$

OR

Find the derivative of $\sin x \cos x$

SECTION – C

Questions 15 to 17 carry 3 marks each.

15. Prove that the derivative of $\sin x$ with respect to x is $\cos x$ using first principle of derivative.

16. Find $\lim_{x \rightarrow 0} f(x)$ and $\lim_{x \rightarrow 1} f(x)$ where $f(x) = \begin{cases} 2x+3, & x \leq 0 \\ 3(x+1), & x > 0 \end{cases}$.

OR

Evaluate: $\lim_{x \rightarrow \frac{\pi}{2}} \frac{\tan 2x}{x - \frac{\pi}{2}}$

17. Find the derivative of $\frac{2}{x+1} - \frac{x^2}{3x-1}$

OR

If $y = \sqrt{x} + \frac{1}{\sqrt{x}}$ then show that $2x \frac{dy}{dx} + y = 2\sqrt{x}$.

SECTION – D

Questions 18 carry 5 marks.

18. Evaluate: $\lim_{x \rightarrow 0} \frac{\tan x + 4 \tan 2x - 3 \tan 3x}{x^2 \tan x}$

OR

Evaluate: $\lim_{y \rightarrow 0} \frac{(x+y) \sec(x+y) - x \sec x}{y}$

SECTION – E (Case Study Based Questions)

Questions 19 to 20 carry 4 marks each.

19. A function f is said to be a rational function, if $f(x) = \frac{g(x)}{h(x)}$, where $g(x)$ and $h(x)$ are polynomial functions such that $h(x) \neq 0$.

Then,
$$\lim_{x \rightarrow a} f(x) = \lim_{x \rightarrow a} \frac{g(x)}{h(x)} = \frac{\lim_{x \rightarrow a} g(x)}{\lim_{x \rightarrow a} h(x)} = \frac{g(a)}{h(a)}$$

However, if $h(a) = 0$, then there are two cases arise,

(i) $g(a) \neq 0$ (ii) $g(a) = 0$.

In the first case, we say that the limit does not exist.

In the second case, we can find limit.

Based on above information, answer the following questions.

(a) Evaluate: $\lim_{x \rightarrow -1} \left(\frac{x^{10} + x^5 + 1}{x - 1} \right)$ (1)

(b) Evaluate: $\lim_{x \rightarrow -1} \frac{(x-1)^2 + 3x^2}{(x^4 + 1)^2}$ (1)

(c) Find the value of $\lim_{x \rightarrow 2} \left(\frac{x^2 - 4}{x^3 - 4x^2 + 4x} \right)$ (2)

20. Let f and g be two functions such that their derivatives are defined in a common domain. We define the derivative of product of two functions is given by the product rule i.e.,

$$\frac{d}{dx} [f(x) \cdot g(x)] = g(x) \cdot \frac{d}{dx} f(x) + f(x) \cdot \frac{d}{dx} g(x)$$

The derivative of quotient of two functions is given by quotient rule i.e.,

$$\frac{d}{dx} \left[\frac{f(x)}{g(x)} \right] = \frac{g(x) \cdot \frac{d}{dx} f(x) - f(x) \cdot \frac{d}{dx} g(x)}{[g(x)]^2}; g(x) \neq 0$$

Based on above information, answer the following questions.

(a) Find the derivative of $x(x+2)$. (1)

(b) Find the value of $f'(x)$, if $f(x) = \sin x \cdot \cos x$ (1)

(c) Find $\frac{d}{dx} \left(\frac{x+1}{x-1} \right)$ (2)

OR

(c) Find the value of derivative of $\frac{x^2 \cos\left(\frac{\pi}{4}\right)}{\sin x}$ at $x = \frac{\pi}{2}$. (2)