MATHEMATICS (SAMPLE PAPER_080324) SAMPLE PAPER TEST 09 FOR BOARD EXAM 2024


SUBJECT: MATHEMATICS MAX. MARKS: 80 CLASS: X **DURATION: 3 HRS**

General Instruction:

- This Question Paper has 5 Sections A-E.
 Section A has 20 MCQs carrying 1 mark each.

	-	uestions carrying 02 ma							
		uestions carrying 03 m							
	<u>-</u>	uestions carrying 05 m							
6.		_		marks each) with sub-parts of the					
7		2 marks each respective	•	2 Qs of 5 marks, 2 Qs of 3 marks					
/٠				choice has been provided in the					
	2marks questions	·	provided. 7th internal	enoice has been provided in the					
8.	-		ke $\pi = 22/7$ wherever re	equired if not stated.					
			ECTION – A						
			to 20 carry 1 mark ea	ch.					
1	ICI CM (10)	_	•	cii.					
I.		36 and HCF(x, 18) = $\frac{2}{3}$		(4) 5 1					
	(a) 2	(b) 3	(c) 4	(d) 5 1					
2.	2. In $\triangle ABC$ right angled at B, if $tan A = \sqrt{3}$, then then $cos A.cos C - sin A.sin C =$								
_,	$\begin{array}{c} \text{in } \Delta \text{i } B \in \text{Figure and} \\ \text{(a) } -1 \end{array}$	(b) 0	(c) 1	(d) $\sqrt{3}/2$					
	()	、 /	()						
3.	If $2\sin^2 \beta - \cos^2 \beta$	$\beta = 2$, then β is:							
	(a) 0°	(b) 90°	(c) 45°	(d) 30° 1					
4.			composite and the leas	-					
	(a) 1: 2	(b) 2: 1	(c) 1: 1	(d) 1: 3					
5	The value of k for	r which the lines 5x ± '	7y = 3 and 15x + 21y = 3	- k coincide is:					
٥.	(a) 9	(b) 5	7y = 3 and $13x + 21y = $ (c) 7	(d) 18					
	(4) >	(6) 6	(•) /	(0) 10					
6.	One of the zeroes	of a quadratic polynor	mial of the form $x^2 + a$	ax + b is the negative of the other					
	then it:								
	(a) has no linear term and the constant term is negative.								
	* *	term and the constant	-						
	(c) can have a linear term but the constant term is negative.(d) can have a linear term but the constant term is positive.								
	(u) can have a m	iear term out the const	ant term is positive.						
7.	The vertices of a	parallelogram in order	are A(1, 2), B(4, v), C	(x, 6) and D(3, 5). Then (x, y) is:					
	(a) (6, 3)	(b) (3, 6)	(c) (5, 6)	(d) (1, 4)					
	. , . , ,		. , , , ,						
8.		horse is tied to a pole with 28 m long rope. The perimeter of the field where the horse can							
	graze is (Take π =	· · · · · · · · · · · · · · · · · · ·	() 10 l	(1) 456					
	(a) 60 cm	(b) 85 cm	(c) 124 cm	(d) 176 cm					
0	Two diag and there	wen at the same time.	The probability of cotti	na not doublet is					
9.	(a) 1/3	own at the same time. I (b) 1/6	The probability of getting (c) 1/5	ng not doublet is (d) 5/6					
	(a) 1/3	(0) 1/0	(C) 1/3	• •					
				Page - 1 -					

- **10.** \triangle ABC \sim \triangle PQR. If AM and PN are altitudes of \triangle ABC and \triangle PQR respectively and AB²: PQ² = 4: 9, then AM: PN =
 - (a) 16:81
- (b) 4: 9
- (c) 3:2
- (d) 2: 3
- 11. In the given figure, PQ is a chord of a circle with centre O and PT is a tangent. If $\angle QPT = 60^{\circ}$, then ∠PRO is



- (a) 100°
- (b) 60°
- $(c) 90^{\circ}$
- (d) 120°
- 12. If the difference of Mode and Median of a data is 24, then the difference of median and mean is
 - (a) 8
- (b) 12
- (c) 24
- (d) 36


13. For the following distribution:

Class	0-5	5-10	10-15	15-20	20-25
Frequency	10	15	12	20	9

the sum of lower limits of the median class and modal class is

- (a) 15
- (b) 25
- (c) 30
- (d) 35
- $5\sin\theta 3\cos\theta$ **14.** If 5 tan $\theta = 4$, then the value of
 - (a) 1/6

- (b) 1/7
- (c) 1/4
- (d) 1/5
- **15.** The ratio of the volumes of two spheres is 8 : 27. The ratio between their surface areas is
 - (a) 2:3
- (b) 4:27
- (c) 8:9
- (d) 4:9
- **16.** The area of the circle that can be inscribed in a square of 6cm is
 - (a) $36\pi \text{ cm}^2$
- (b) $18\pi \text{ cm}^2$
- (c) $12 \, \pi \, \text{cm}^2$
- (d) $9\pi \text{ cm}^2$
- 17. In the figure, if DE \parallel BC, AD = 3 cm, BD = 4 cm and BC = 14 cm, then DE equals:
 - (a) 7 cm
- (b) 6 cm
- (c) 4 cm
- (d) 3 cm



- 18. ABCD is a trapezium with AD \parallel BC and AD = 4cm. If the diagonals AC and BD intersect each other at O such that AO/OC = DO/OB = 1/2, then BC =
 - (a) 6cm
- (b) 7cm
- (c) 8cm
- (d) 9cm

DIRECTION: In the question number 19 and 20, a statement of **Assertion (A)** is followed by a statement of **Reason** (**R**).

Choose the correct option

19. Assertion (A): The number 6^n , n being a natural number, ends with the digit 5.

Reason (R): The number 9^n cannot end with digit 0 for any natural number n.

(a) Both assertion (A) and reason (R) are true and reason (R) is the correct explanation of

assertion (A)

- (b) Both assertion (A) and reason (R) are true and reason (R) is not the correct explanation of assertion (A)
- (c) Assertion (A) is true but reason (R) is false.
- (d) Assertion (A) is false but reason (R) is true.
- **20.** Assertion (A): The point (-1, 6) divides the line segment joining the points (-3, 10) and (6, -8)in the ratio 2:7 internally.

Reason (R): Given three points, i.e. A, B, C form an equilateral triangle, then AB = BC = AC.

- (a) Both assertion (A) and reason (R) are true and reason (R) is the correct explanation of assertion (A)
- (b) Both assertion (A) and reason (R) are true and reason (R) is not the correct explanation of assertion (A)
- (c) Assertion (A) is true but reason (R) is false.
- (d) Assertion (A) is false but reason (R) is true.

<u>SECTION – B</u>


Questions 21 to 25 carry 2 marks each.

21. If $\sin(A + B) = 1$ and $\cos(A - B) = \sqrt{3/2}$, $0^{\circ} < A + B \le 90^{\circ}$ and A > B, then find the measures of angles A and B.


Find an acute angle
$$\theta$$
 when

Find an acute angle
$$\theta$$
 when
$$\frac{\cos \theta - \sin \theta}{\cos \theta + \sin \theta} = \frac{1 - \sqrt{3}}{1 + \sqrt{3}}$$

22. In the given figure below, AD/AE=AC/BD and $\angle 1=\angle 2$. Show that \triangle BAE~ \triangle CAD.




- **23.** If 217x + 131y = 913, 131x + 217y = 827, then find the value of x and y
- 24. A circle is inscribed in a \triangle ABC having AB= 10cm, BC = 12cm and CA = 8cm and touching these sides at D, E, F respectively. Find the lengths of AD, BE and CF



25. The length of the minute hand of a clock is 6cm. Find the area swept by it when it moves from 5:25 pm to 6:00 pm.

In the given figure, the shape of the top of a table is that of a sector of a circle with centre O and $\angle AOB = 90^{\circ}$. If AO = OB = 42 cm, then find the perimeter of the top of the table is [Take $\pi =$ 22/7]



SECTION - C

Questions 26 to 31 carry 3 marks each.

26. A train covered a certain distance at a uniform speed. If the train would have been 6 km/h faster, it would have taken 4 hours less than the scheduled time. And, if the train were slower by 6 km/hr; it would have taken 6 hours more than the scheduled time. Find the length of the journey.

OR

Anuj had some chocolates, and he divided them into two lots A and B. He sold the first lot at the rate of $\[Tilde{\times}\]$ 2 for 3 chocolates and the second lot at the rate of $\[Tilde{\times}\]$ 1 per chocolate, and got a total of $\[Tilde{\times}\]$ 400. If he had sold the first lot at the rate of $\[Tilde{\times}\]$ 1 per chocolate, and the second lot at the rate of $\[Tilde{\times}\]$ 460. Find the total number of chocolates he had.

- 27. Prove that: $\frac{\sin \theta \cos \theta + 1}{\sin \theta + \cos \theta 1} = \sec \theta + \tan \theta$
- **28.** Find the largest possible positive integer that divides 125, 162 and 259 leaving remainder 5, 6 and 7 respectively.


OR

Amita, Suneha and Raghav start preparing cards for all the persons of an old age home. In order to complete one card, they take 10, 16 and 20 minutes respectively. If all of them started together, after what time will they start preparing a new card together?

- **29.** If α and β are the zeros of the quadratic polynomial, find a polynomial whose zeros are $\frac{1}{\alpha^2}$ and $\frac{1}{\beta^2}$.
- **30.** If the point C (-1, 2) divides internally the line-segment joining the points A (2, 5) and B (x, y) in the ratio 3:4, find the value of $x^2 + y^2$.
- 31. Prove that a parallelogram circumscribing a circle is a rhombus

OR

In the given figure, ABC is a triangle and GHED is a rectangle. BC = 12 cm, HE = 6 cm, FC = BF and altitude AF = 24 cm. Find the area of the rectangle.



Questions 32 to 35 carry 5 marks each.

- 32. In an equilateral $\triangle ABC$, E is any point on BC such that $BE = \frac{1}{4}BC$. Prove that $16AE^2 =$ $13 AB^2$.
- 33. A cubical block of side 10 cm is surmounted by a hemisphere. What is the largest diameter that the hemisphere can have? Find the cost of painting the total surface area of the solid so formed, at the rate of Rs. 5 per 100 sq. cm. [Use $\pi = 3.14$]

Due to heavy floods in a state, thousands were rendered homeless. 50 schools collectively decided to provide place and the canvas for 1500 tents and share the whole expenditure equally. The lower part of each tent is cylindrical with base radius 2.8 m and height 3.5 m and the upper part is conical with the same base radius, but of height 2.1 m. If the canvas used to make the tents costs ₹120 per m², find the amount shared by each school to set up the tents.

34. The median of the following data is 868. Find the values of x and y, if the total frequency is 100

Class	Frequency
800 - 820	7
820 - 840	14
840 - 860	X
860 - 880	25
880 – 900	y
900 – 920	10
920 – 940	5

35. Two pipes running together can fill a cistern in $3\frac{1}{13}$ hours. If one pipe takes 3 hours more than

the other to fill it, find the time in which each pipe would fill the cistern.

In a flight of 600km, an aircraft was slowed down due to bad weather. Its average speed for the trip was reduced by 200 km/hr from its usual speed and the time of the flight increased by 30 min. Find the scheduled duration of the flight.

<u>SECTION – E(Case Study Based Questions)</u>

Questions 36 to 38 carry 4 marks each.


36. Case Study – 1

Anita purchased a new building for her business. Being in the prime location, she decided to make some more money by putting up an advertisement sign for a rental ad income on the roof

of the building.



From a point P on the ground level, the angle of elevation of the roof of the building is 30° and the angle of elevation of the top of the sign board is 45°. The point P is at a distance of 24 m from the base of the building.



On the basis of the above information, answer the following questions:

6) Find the height	of the building	(without the sign board).	(2)	`
- (.	.) Tina me neigni	or the building	(Williout the Sign Doard).	(4	,

OR

Find the height of the building (with the sign board) (2)

(ii) Find the height of the sign board. (1)

(iii) Find the distance of the point P from the top of the sign board. (1)

37. Case Study-2

The school auditorium was to be constructed to accommodate at least 1500 people. The chairs are to be placed in concentric circular arrangement in such a way that each succeeding circular row has 10 seats more than the previous one.



- (i) If the first circular row has 30 seats, how many seats will be there in the 10th row? (1)
- (ii) For 1500 seats in the auditorium, how many rows need to be there? (2)

OR

If 1500 seats are to be arranged in the auditorium, how many seats are still left to be put after 10th row? (2)


(iii) If there were 17 rows in the auditorium, how many seats will be there in the middle row?(1)


38. Case Study-3

The diagrams show the plans for a sun room. It will be built onto the wall of a house. The four walls of the sunroom are square clear glass panels. The roof is made using

• Four clear glass panels, trapezium in shape, all the same size

• One tinted glass panel, half a regular octagon in shape





- (i) Find the mid-point of the segment joining the points J (6, 17) and I (9, 16). (1)
- (ii) Find the distance between the points A and S. (1)
- (iii) Find the co-ordinates of the point which divides the line segment joining the points A and B in the ratio 1:3 internally. (2)

OR

(iii) If a point (x,y) is equidistant from the Q(9,8) and S(17,8),then find the relation between x and y.